



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX TO VOLUME VIII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic*; and previously published scientific names and all other matter, in ordinary type.

A

- abietina* (*Tremella*), 381
abietinus (*Dacryomyces*), 381
alba (*Exidia*), 366
alba (*Exidiopsis*), 366
alba (*Seismosarca*), 366
Alyssum, 134; *alpinum*, 208; *arcticum*, 156; *argyreum*, 158; *auriculatum*, 147; *Berlandieri*, 160; *bolivense*, 204; *densiflorum*, 150; *Engelmannii*, 152; *Fendleri*, 164; *globosum*, 175; *Gordonii*, 188; *gracile*, 184; *grandiflorum*, 148; *Grayanum*, 198; *lasiocarpum*, 137; *Lescurii*, 135; *Lindheimeri*, 183; *Ludovicianum*, 174; *Nuttallii*, 186; *pallidum*, 173; *purpureum*, 161; *recurvatum*, 171; *repandum*, 186; *Schauerianum*, 140; *Shortii*, 202; *Urbanianum*, 204
 Amylase, The effect of hydrogen-ion concentration upon the accumulation and activation of, produced by certain fungi, 63
andina (*Heterochaete*), 374
 Armstrong, George M. Studies in the physiology of the fungi. xvi. Sulphur nutrition: The use of thiosulphate as influenced by hydrogen-ion concentration, 237
Aspergillus niger, 242, 283
aurantia (*Naematelia*), 368
aurantia (*Tremella*), 368
aurantia (*Tremella*), 368
aurantius (*Dacryomyces*), 379
Auricularia delicata, 392, 396; **rosea**, 391, 396; *strigoso-zonata*, 394; *tremellosa*, 392
Auriculariaceae, 390
auriformis (*Hirneola*), 390

B

- Beet decoction, germination of spores in, 293, 294
Botrytis cinerea, 242, 283
 Burt, E. A. Some North American *Tremellaceae*, *Dacryomycetaceae*, and *Auriculariaceae*, 361
Burtii (*Heterochaete*), 375

ANN. MO. BOT. GARD., VOL. 8, 1921

C

- candida* (*Exidia*), 367
 Casein in standardization of ultrafilters, 352
ceracea (*Dacryopsis*), 387
chrysosperma (*Dacryomyces*), 379
Clavarioides (*Tremella*), 364
Colletotrichum Gossypii, 71
colorata (*Tremella*), 373
concrescens (*Peziza*), 362
concrescens (*Tremella*), 362, 396
conformis (*Ditiola*), 386
Corticium reticulatum, 364; *tremellinum*, 363, var. *reticulatum*, 364
 Czapek's solution, germination of spores in, 290

D

- Dacryomitra pedunculata*, 389; **stipitata**, 387, 396
Dacryomyces abietinus, 381; *aurantius*, 379; *chrysosperma*, 379; *deliquescens*, 382; *Ellisii*, 385; *flabellum*, 379; *Harperi*, 385; *minor*, 382, 384; **palmatus**, 379, 396; *pedunculatus*, 389; *pellucidus*, 363; *stillatus*, 381; **subochraceus**, 384
Dacryomycetaceae, 378
Dacryopsis ceracea, 387; *Ellisiana*, 389; *palmata*, 379
Degenia velebitica, 227
delicata (*Auricularia*), 392, 396
delicata (*Laschia*), 392
deliquescens (*Dacryomyces*), 382
deliquescens (*Tremella*), 382
Ditiola conformis, 386
 Duggar, B. M. and J. L. Karrer. The sizes of the infective particles in the mosaic disease of tobacco, 343

E

- Ellisiana* (*Dacryopsis*), 389
Ellisii (*Dacryomyces*), 385
encephala (*Naematelia*), 369
encephala (*Tremella*), 369
encephaliformis (*Naematelia*), 369
encephaliformis (*Tremella*), 369

Enzymatic activities in Rhizoctonia, 13
 Enzyme action: amylase, 74
 Eudema thlaspiforme, 227
 Exidia *alba*, 366; *candida*, 367; *gemmata*, 371; *nucleata*, 371; *pedunculata*, 389; *spiculata*, 372
Exidiopsis alba, 366

F

Femsoniana (*Guepinia*), 386
 Filtration of mosaic disease virus, 344
flabellum (*Dacryomyces*), 379
fuciformis (*Tremella*), 365
fuciformis (*Tremella*), 364
 Fungi, Studies in the physiology of the, XII, 1; XIII, 63; XIV, 237; XV, 283
Fusarium sp., 71, 283
 Fusion of hyphae in Rhizoctonia, 39

G

Gelatin in standardization of ultrafilters, 353
gelatinosa (*Heterochaete*), 376
gelatinosa (*Kneiffia*), 376
gemmata (*Exidia*), 371
 Germination of spores of certain fungi in relation to H-ion concentration, 283
 Greenman, J. M. Two new senecios from the West Indies, 97
Guepinia Femsoniana, 386

H

Harperi (*Dacryomyces*), 385
Helicobasidium Peckii, 395
 Hemoglobin in standardization of ultrafilters, 352
Heterochaete, 374; *andina*, 374; *Burtii*, 375; *gelatinosa*, 376; *microspora*, 376; *Sheari*, 377; *sublivida*, 375
Hirneola auriformis, 390
Hordeum pusillum, 357
 H-ion concentration: as affecting Rhizoctonia, 35; Germination of fungous spores in relation to, 283; The effect of, upon the accumulation and activation of amylase produced by certain fungi, 63; The use of thiosulphate as influenced by, 237

I

Infective particles in mosaic disease, sizes of, 343

K

Karrer, J. L. Studies in the physiology of the fungi. XIII. The effect of

hydrogen-ion concentration upon the accumulation and activation of amylase produced by certain fungi, 63; Duggar, B. M. and. The sizes of the infective particles in the mosaic disease of tobacco, 343

Kneiffia gelatinosa, 376

L

Laschia delicata, 392; *tremellosa*, 392
Lenzites saepiaria, 283
 Lesquerella, a monograph of the genus, 103
 Lesquerella, 133; *alpina*, 208, var. *spatulata*, 210; *alpina*, 205; *angustifolia*, 182, 182; *arctica*, 156, var. *Purshii*, 157; *arenosa*, 178, 179; *argentea*, 174; *argentea*, 139, var. *arenosa*, 178; *argyraea*, 158; *arizonica*, 207, var. *nudicaulis*, 208; *aurea*, 173; *auriculata*, 147; *Berlandieri*, 160, 160; *cinerea*, 214, 215; *cinerea*, 214; *condensata*, 211, 211, var. *laevis*, 212; *curvipes*, 201, 201; *curvipes*, 198; *Cusickii*, 225; *densiflora*, 150, 150; *diversifolia*, 222, 222; *Douglasii*, 225, 226; *Engelmannii*, 151, 152; *Engelmannii*, 153; *Fendleri*, 163; *flexuosa*, 227; *foliacea*, 164; *frigida*, 141; *Garrettii*, 213; *globosa*, 202; *Gordonii*, 188, 189; *Gordonii*, 183, var. *sessilis*, 191; *gracilis*, 184, var. *repanda*, 186, var. *sessilis*, 187; *gracilis*, 186; *grandiflora*, 148, 149; *intermedia*, 205; *Kingii*, 215, 216; *lasiocarpa*, 137, var. *Berlandieri*, 139; *lata*, 195, 195; *latifolia*, 217, 217; *Lescurii*, 135; *Lindheimeri*, 183, 183; *ludoviciana*, 175, 178; *Lunellii*, 179, var. *lutea*, 179; *Macounii*, 179; *macrocarpa*, 181; *mendocina*, 203; *montana*, 197, var. *suffruticosa*, 200; *montevicense*, 155; *Nuttallii*, 186; *occidentalis*, 223; *ovalifolia*, 153; *ovata*, 153; *pallida*, 172; *Palmeri*, 191, 191; *parrula*, 208; *pinetorum*, 193, 193; *polyantha*, 184; *praecox*, 164; *prostrata*, 221, 221; *pruinosa*, 194, 194; *pueblensis*, 169, 170; *purpurea*, 161, 161; *rectipes*, 196, 196; *recurvata*, 170, 171; *repanda*, 186; *rosea*, 179; *rosulata*, 198; *Schaffneri*, 168; *Schaueriana*, 139; *sessilis*, 187; *Shearis*, 198; *stenophylla*, 164; *tenella*, 191; *thlaspiiformis*, 227; *utahensis*, 219, 220; *valida*, 204; *velebitica*, 227; *versicolor*, 178; *Wardii*, 218, 218; *Wardii*, 218

M

Mannite solution, germination of spores in, 290, 294

Matsumoto, T. Studies in the physiology of the fungi. XII. Physiological specialization in *Rhizoctonia Solani* Kühn, 1

Merulius strigosus-zonatus, 394

Metabolism in fungi, 13, 237; carbohydrate, 17; nitrogen, 30

microspora (*Heterochaete*), 376

minor (*Dacryomyces*), 382, 384

Mosaic disease of tobacco, sizes of infective particles in, 343

Myagrurn argenteum, 174

N

Naematelia aurantia, 368; *encephala*, 369; *cephaliformis*, 369; *nucleata*, 371; *quercina*, 368

nucleata (*Exidia*), 371

nucleata (*Naematelia*), 371

nucleata (*Tremella*), 371

Nutrient solutions, mineral, for fungi, 17, 73, 242, 289, 290

O

Ochroma lagopus, 390

orbicularis (*Phlebia*), 394

P

palmata (*Dacryopsis*), 379

palmata (*Tremella*), 379

palmatus (*Dacryomyces*), 379, 396

Payson, E. B. A monograph of the genus *Lesquerella*, 103

Peckii (*Helicobasidium*), 395

pedunculata (*Dacryomitra*), 389

pedunculata (*Exidia*), 389

pedunculatus (*Dacryomyces*), 389

pellucidus (*Dacryomyces*), 363

Penetration of host by *Rhizoctonia*, 46

Penicillium cyclopium, 242, 283; *glaucum*, 242; *italicum*, 71

Peptone, germination of spores in, 292

Peziza conrescens, 362

Phlebia orbicularis, 394; *pileata*, 394;

rubiginosa, 394; *strigosus-zonata*, 394

Physaria montana, 224

Physiological specialization in *Rhizoctonia Solani* Kühn, 1

pileata (*Phlebia*), 394

Porcelain ultrafilters for mosaic disease virus, 346

Q

quercina (*Naematelia*), 368

R

reticulata (*Tremella*), 364

reticulatum (*Corticium*), 364

Rhizoctonia Solani, 1

rosea (*Auricularia*), 391, 396

Rosen, H. R. *Tilletia texana* in Missouri, 357

rubiginosa (*Phlebia*), 394

S

Sebacina Sheari, 377

Seismosarca alba, 366

Senecio Freemanii, 98, 102; **subsquarrosus**, 97, 100

Senecios, two new, from the West Indies, 97

Sheari (*Heterochaete*), 377

Sheari (*Sebacina*), 377

Some North American *Tremellaceae*, *Dacryomycetaceae*, and *Auriculariaceae*, 361

Sparassis tremelloides, 368

Sparassoida (*Tremella*), 364

spiculata (*Exidia*), 372

Standardization of ultrafilters, 346

stillatus (*Dacryomyces*), 381

stipitata (*Dacryomitra*), 387, 396

stipitata (*Tremella*), 387

strigosus-zonata (*Auricularia*), 394

strigosus-zonata (*Phlebia*), 394

strigosus-zonatus (*Merulius*), 394

Studies in the physiology of the fungi,

xii, 1; xiii, 63; xiv, 237; xv, 283

subcarnosa (*Tremella*), 373

sublivida (*Heterochaete*), 375

subochracea (*Tremella*), 384

subochraceus (*Dacryomyces*), 384

Sulphur nutrition in the fungi, 237

Sulphur, sources of, for fungi, 242

Synthlipsis, 134; *Berlandieri*, 137, 139;

heterochroma, 137; *lepidota*, 140

T

Temperature, influence of, on fungi, 11

Thiosulphate, the use of, as influenced by hydrogen-ion concentration, 237

Tilletia texana in Missouri, 357

Tobacco, mosaic disease of, 343

Tremella abietina, 381; *aurantia*, 368;

aurantia, 368; *Clavarioides*, 364; *col-*

rata, 373; **conrescens**, 362, 396;

deliquescentis, 382; *encephala*, 369; *en-*

cephaliformis, 369; *fuciformis*, 365; *fuci-*

formis, 364; *nucleata*, 371; *palmata*,

379; *reticulata*, 364; *Sparassoida*, 364;

stipitata, 387; *subcarnosa*, 373; *sub-*

ochracea, 384; *vesicaria*, 363; *vesicaria*,

363

Tremellaceae, 361
tremellinum (*Corticium*), 363
tremellinum var. *reticulatum* (*Corticium*), 364
tremellosa (*Auricularia*), 392
tremellosa (*Laschia*), 392
tremelloides (*Sparassis*), 368

U

Ultrafiltration of mosaic disease virus, 346

V

Vesicaria, 134; *alpina*, 205, 208; *andicola*, 204; *angustifolia*, 182, 187, var. *longistyla integrifolia*, 171, var. *longistyla pinnatifida*, 171; *arctica*, 156, 178, 203; *arenosa*, 178; *argentea*, 139; *argyraea*, 158; *auriculata*, 147; *Berlandieri*, 160; *brevistyla*, 148; *densiflora*, 150; *Engelmanii*, 151, 152; *Fendleri*, 163; *frigida*, 141; *globosa*, 202; *Gordonii*,

188; *gracilis*, 184, 187; *grandiflora*, 148, 173, var. *pallida*, 173, var. *pinnatifida*, 148; *Kingii*, 215; *lasiocarpa*, 137; *Lescurii*, 135; *Lindheimeri*, 183; *ludoviciana*, 174, 178, 225; *mendocina*, 204; *montana*, 198, 224; *montevicensis*, 155; *Nuttallii*, 186; *occidentalis*, 224; *pallida*, 173; *polyantha*, 184; *pulchella*, 152; *purpurea*, 161, var. *albiflora*, 161; *recurvata*, 158, 171; *repanda*, 186; *Schaffneri*, 168; *Shortii*, 202; *stenophylla*, 164, var. *diffusa*, 164, var. *humilis*, 164, var. *procera*, 165, var. *siliculis ovatis*, 164
vesicaria (*Tremella*), 363
vesicaria (*Tremella*), 363

W

Water, germination of spores in, 293
 Webb, Robert W. Studies in the physiology of the fungi. xv. Germination of the spores of certain fungi in relation to hydrogen-ion concentration, 283